Art Unit: 3751

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the drawings:

Amend the drawings as indicated in red ink on the attached sheet.

In the specification:

On page 17, line 18: after "concentration" insert -- and/or fluoride salts--.

In claim 6:

Line 16: delete "main cylinder" and substitute –head--, delete "containing" and substitute -- and said main cylinder contains--.

Claims 6-12 are allowed. It is noted that the amendment to the drawing was needed since reference character 16 is not present in the specification. The amendment to the specification was needed to provide a positive antecedent basis for the language in claim 8 (support for this language can be found on page 6, line 2, as originally filed). The amendment to claim 1 was needed to clarify that the outlet 15 is actually positioned in the head (as defined in original claim 1) and the cartridge is found in the main cylinder.

Art Unit: 3751

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Walczak whose telephone number is 571-272-4895. The examiner can normally be reached on Mon-Thurs, 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on 571-272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David J. Walczak Primary Examiner Art Unit 3751

DJW 6/30/06



## Application No. 10/737145 Amendment date April 19, 2006 Reply to Office Action of March 9, 2006 Replacement Sheet

